



Hurricane Impact Thermal Break Triple Pane Casement Window Replacement

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



25-30days

10000

China

Eloyd

CE

- L/C, T/T, Western Union, PayPal



Product Specification

Model:

. Glass:

• Material: • Design:

Accessory:

Package:

• Highlight:

• PROFILE:

Extremely Narrow Window

- 6063# T5 Aluminium
 - 5+27A+5mm Double Clear Tempered Glass
- 3.4mm Thick Aluminium
 - According To Confirmed Drawing
 - Fly Net / Fly Curtain / High Downtrack(For Water-proof)
 - **EPE** Foam Wrapped
- Installation Method: Full Frame Replacement

Triple Pane Casement Window Replacement, Hurricane Impact Casement Window Replacement

Thermal Break Casement Window Replacement

ELOY



More Images

ELOY/D









Hurricane Impact Thermal Break Triple Pane Casement Window Replacement

Ultimate Casement Narrow Frame

- 1. The narrow frame design allows for larger glass panes, enhancing visibility and natural light entry.
- 2. For openings up to 2.5 feet wide and 6.5 feet high
- 3. ntegrated thermal breaks reduce heat transfer, improving insulation and energy performance.
- 4. Provides enhanced security and ensures a tight seal when the window is closed.
- 5. Can be tailored to fit specific openings, ensuring a perfect fit for any project.

What is the casement windows?

- 1. Aluminum frames are resistant to rust and corrosion, ensuring longevity in various climates.
- 2. Built to withstand harsh weather conditions, making them suitable for coastal areas.
- 3. Many aluminum casement windows include thermal breaks that reduce heat transfer, enhancing energy efficiency.
- 4. They can be fitted with low-emissivity glass to minimize heat loss and improve insulation.
- 5. Narrow frames maximize glass area, providing unobstructed views and allowing more natural light.

Technical Data:

- 1. Double Glaze Double Clear Tempered Glass
- 2. U Factor = 0.28-0.38 Size depending.
- 3. Modular swivel-tilt mounting system with concealed hinges
- 4. Simple and intuitive operation

5. The 3.4mm wall thickness guarantees greater stability and durability of the window and increased protection against noise and temperature changes.

Features:

- 1. Design: They are often tall and narrow, providing a clear view and maximizing ventilation.
- 2. Versatile Opening: They can be opened fully to allow maximum ventilation, making them ideal for fresh air circulation.
- 3. Operation: Casement windows open outward like a door, allowing for better airflow compared to sliding windows.
- 4. Variety of Styles: Available in various styles, they can match different architectural aesthetics.
- 5. Security Features: Many casement windows come with multi-point locking systems, enhancing security.

Product Paramenters:

SERIES	125 Extremely narrow Window
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	3.4mm aluminium thickness
GLASS	5mm+27A+5mm Double Tempered Glass
HARDWARE	Gingle Handle
SURFACE TREATMENT	Powder Coating, Anodized



Packing and shipping



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

STANDARDSMARK - A (Statiour EUGTEST Certificate of Compliance ATTESTATION OF CONFORMITY Foshan Yiluode Doors And Windows Co., Ltd TECHNICAL INSPECTION ATTESTATION OF CONFORMITY Table Marian Table Marian the second second 111 Andread and a first state Variable TV March 2014 Marcon and other a part form a land the line of the second nen mener mangelen Mit en Mandelanden an skapligen bisker die 1310 Marit skoren 1 Andle Include -And A CONTRACTOR 2000.000 VICE/E. Œ later die -1076.7 0 -- Hand ----16-2 Terrer Constant Constant of Co C A statement CE CE AS2047 CSA pr m a ····· intertek 1 Verified Foshan Yiluode 实用新型专利证书 Verified Supplier Certifie 112714 - Hansleigta 8 8 1-155814 9 6 1-55814 Doors And Windows Co., Ltd. Summerle month of a TEST REPORT ---- CONTRACTOR CONTRACTON CONTRACTON CONTRACTON CONTRACTON CONTRACTON ----Annohami Annohami Ann -111 111 111 111 111 -The state of the second st 4 100.00 :: 中江南 こ ゆこわ (: 22 son 名 intertek ALIBABA CERTIFICATION PATENT CERTIFICATE PATENT CERTIFICATE

Certificate

Project case

















ARE YOU A CONTRACTOR ?

Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

- 1. High-quality windows and doors
- 2. Engineering quality assurance
- 3. One-stop supply of windows and doors
- 4. Installation tutorial
- 5. After-sales service
- 6. Delivery and shipment

