



Panoramic Hurricane Impact Aluminum Frames Double Glass Sliding **Windows**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

for more products please visit us on aluminiumwindowsdoor.com

- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

ELOY



Product Specification

- Name:
- Feature:
- Material:
- Glass:
- Design:
- Accessory:
- PackageMethod:
- Hardware:
- Stainless Steel:
- Highlight:

Aluminum Sliding Window Door Thermal Break

L/C, T/T, Western Union, PayPal

2.0mm Aluminium Thickness

China

Eloyd

110 sliding Window

EPE Foam wrapped

CE

2

USD78/

25-30days

10000

- Glass:5+20A+5mm
 - According To Confirmed Drawing
 - Fly Net / Fly Curtain / High Downtrack(For

Hurricane Impact Sliding Windows, Panoramic Sliding Windows

Water-proof)

10 Years

- **EPE** Foam Wrapped
- Germany RUNAS



More Images







Panoramic Hurricane Impact Aluminum Frames Double Glass Sliding Windows

What is a sliding Window?

A sliding window is a type of window that opens horizontally by sliding along a track.Sliding windows are commonly used in residential homes, particularly in living rooms, bedrooms, and areas where an unobstructed view is desired. They are also popular in commercial buildings.Sliding windows offer a practical and aesthetically pleasing solution for maximizing natural light and ventilation while saving space. Their ease of use and low maintenance make them a popular choice in modern architecture.Aluminum sliding windows combine modern design with functionality and energy efficiency.

What are the advantages of Tilt And Turn Window?

- 1. Sliding windows operate horizontally
- 2. Designed for easy opening and closing
- 3. Typically feature expansive panes of glass
- 4. Many models come with multi-point locking mechanisms
- 5. The design and materials can provide good sound insulation

Technical Data:

- 1. High-quality aluminum
- 2. Water Penetration Rating: Usually rated for 15-30 PSF
- 3. Air Infiltration Rating: Typically rated at 0.1 to 0.3 CFM per square foot
- 4. Weatherstripping: High-quality materials used for enhanced sealing against drafts and moisture
- 5. Multi-point locking systems for improved security

Features:


- 1. One or more sashes slide past each other to open and close.
- 2. Single Slider: One sash is fixed, while the other sash slides.
- 3. Double Slider: Both sashes can slide, allowing for more flexibility in ventilation.
- 4. Many sliding windows come with double or triple glazing options and low-emissivity (Low-E) glass for improved thermal performance.
- 5. ypically equipped with secure locking systems to enhance safety.

Product Paramenters:

SERIES	110 sliding Window
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	Glass:5+20A+5mm Double Clear Tempered Glass
HARDWARE	RUNAS Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized

Panoramic sliding window

Warranty service, More than 5 years













Whole house

High efficiency customization sound insulation

Multiple seal Guaranteed after sale

CE certification



6063 primary aluminum High quality PA66GF25 European arc line, optional hypotenuse line design Imported fluorocarbon paint finish Frame fan inside and outside flush design Hollow aluminum strip filled with molecular sieve 5+12A+5 large hollow tempered glass Openable guard rail design GB304# stainless steel diamond gauze Industry high-end system window hardware Sealing process of duck bill strip Thermal break isotherm design Wind pressure resistance: Lv. 9

Property



Packing and shipping



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

STANDARDSMARK - A (Statiour EUGTEST Certificate of Compliance ATTESTATION OF CONFORMITY Foshan Yiluode Doors And Windows Co., Ltd TECHNICAL INSPECTION ATTESTATION OF CONFORMITY Table Marian Table Marian the second second 111 Andread and a first state Variable TV March 2011 Marcon and other a part form a land the line of the second nen mener mangelen Mit en Mandelanden an skapligen bisker die 1310 Marit skoren 1 Andle Include -And A CONTRACTOR 2000.000 VICE/E. Œ later die -1076.7 0 -- Hand ----16-2 Territoria C A statement CE CE AS2047 CSA pr m a ····· intertek 1 Verified Foshan Yiluode 实用新型专利证书 Verified Supplier Certifie 112714 - Hansleigta 8 8 1-155814 9 6 1-55814 Doors And Windows Co., Ltd. Summerle month of a TEST REPORT ---- CONTRACTOR CONTRACTON CONTRACTON CONTRACTON CONTRACTON CONTRACTON ----Annohami Annohami Ann -111 111 111 111 111 -The state of the second st 4 100.00 :: 中江南 こ ゆこわ (: 22 son 名 intertek ALIBABA CERTIFICATION PATENT CERTIFICATE PATENT CERTIFICATE

Certificate

Project case

















ARE YOU A CONTRACTOR ?

Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

- 1. High-quality windows and doors
- 2. Engineering quality assurance
- 3. One-stop supply of windows and doors
- 4. Installation tutorial
- 5. After-sales service
- 6. Delivery and shipment

