



110 Series Soundproof Thermal Break Double Glazed Sliding Doors And Windows


Our Product Introduction

for more products please visit us on aluminiumwindowdoor.com

Basic Information

- Place of Origin: China
- Brand Name: Eloyd
- Certification: CE
- Model Number: 110 sliding Window
- Minimum Order Quantity: 2
- Price: USD78/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C, T/T, Western Union, PayPal
- Supply Ability: 10000

LOYD



Product Specification


- Color: White
- Glass Type: Tempered/Laminated/Double Glazed
- Material: 2.0mm Aluminium Thickness
- Glass: Glass:5+20A+5mm
- Design: According To Confirmed Drawing
- Accessory: Fly Net / Fly Curtain / High Downtrack (For Water-proof)
- Package Method: EPE Foam Wrapped
- Hardware: Germany RUNAS
- Stainless Steel: 10 Years
- Highlight: **Soundproof Sliding Doors And Windows, 110 Series Sliding Doors And Windows**

LOYD



More Images

LOYD



LOYD



LOYD



110 Series Soundproof Thermal Break Double Glazed Sliding Doors And Windows

What is a sliding Window?

Sliding window is a popular choice due to its contemporary style, convenient operation and time saving, creating a perfectly connection between indoor and outdoor spaces. A sliding window is a type of window that operates by sliding horizontally on sliding tracks. It typically consists of two or more sashes. This design allows for easy opening and closing of the window by simply sliding the sashes left or right. Sliding windows are favored for space saving design, providing large view and ventilation. It is a regular selection for residential and commercial settings.

Small Size

24x24 window (23.5" x 23.5") 24x36 window (23.5" x 35.5")
 28x36 window (27.5" x 35.5") 30x30 window (29.5" x 29.5")
 32x36 window (31.5" x 35.5") 32x48 window (31.5" x 47.5")
 34x34 window (33.5" x 33.5") 35x35 window (34.5" x 34.5")
 36x24 window (35.5" x 23.5") 36x36 window (35.5" x 35.5")
 40x36 window (39.5" x 35.5")

Regular Size

24x60 window (23.5" x 59.5") 24x48 window (23.5" x 47.5")
 36x48 window (35.5" x 47.5") 40x48 window (39.5" x 47.5")
 40x54 window (39.5" x 53.5") 36x60 window (35.5" x 59.5")
 40x60 window (39.5" x 59.5") 48x48 window (47.5" x 47.5")
 48x60 window (47.5" x 59.5") 60x36 window (59.5" x 35.5")
 60x60 window (59.5" x 59.5") 46x46/45x45 window

Large Size

24x72 window (23.5" x 71.5") 32x72 window (31.5" x 71.5")
 36x72 window (35.5" x 71.5") 72x60 window (71.5" x 59.5")
 72x48 window (71.5" x 47.5") 72x72 window (71.5" x 71.5")
 48x72 window (47.5" x 71.5") 72x36 window (71.5" x 35.5")
 96x48 window (95.5" x 47.5") 96x60 window (95.5" x 59.5")

Technical Data:

1. High-quality aluminum
2. Water Penetration Rating: Usually rated for 15-30 PSF
3. Air Infiltration Rating: Typically rated at 0.1 to 0.3 CFM per square foot
4. Weatherstripping: High-quality materials used for enhanced sealing against drafts and moisture
5. Multi-point locking systems for improved security

Features:

1. One or more sashes slide past each other to open and close.
2. Single Slider: One sash is fixed, while the other sash slides.
3. Double Slider: Both sashes can slide, allowing for more flexibility in ventilation.
4. Many sliding windows come with double or triple glazing options and low-emissivity (Low-E) glass for improved thermal performance.
5. Typically equipped with secure locking systems to enhance safety.

Product Parameters:

SERIES	110 sliding Window
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	Glass: 5+20A+5mm Double Clear Tempered Glass
HARDWARE	RUNAS Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized

Panoramic sliding window

Warranty service, More than 5 years



Whole house
customization



High efficiency
sound insulation



Multiple seal



Guaranteed
after sale



CE certification



6063 primary aluminum

High quality PA66GF25

European arc line, optional hypotenuse line design

Imported fluorocarbon paint finish

Frame fan inside and outside flush design

Hollow aluminum strip filled with molecular sieve

5+12A+5 large hollow tempered glass

Openable guard rail design

GB304# stainless steel diamond gauze

Industry high-end system window hardware

Sealing process of duck bill strip

Thermal break isotherm design

Wind pressure resistance: Lv. 9

Property



Packing and shipping



TRANSPORTATION



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Certificate





America



Germany



America



Britain



Australia



Oman



Russia



Singapore

ARE YOU A CONTRACTOR ?

Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

1. High-quality windows and doors
2. Engineering quality assurance
3. One-stop supply of windows and doors
4. Installation tutorial
5. After-sales service
6. Delivery and shipment



Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China