



Custom Aluminium Glazed Window Thermal Break Sliding Glass For Outdoor

Our Product Introduction

for more products please visit us on aluminiumwindowdoor.com

Basic Information

- Place of Origin: China
- Brand Name: Eloyd
- Certification: CE
- Model Number: 110 sliding Window
- Minimum Order Quantity: 2
- Price: USD78/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C, T/T, Western Union, PayPal
- Supply Ability: 10000





Product Specification

- Opening Pattern: Sliding
- Thermal Insulation: Yes
- Material: 2.0mm Aluminium Thickness
- Glass: Glass:5+20A+5mm
- Design: According To Confirmed Drawing
- Accessory: Fly Net / Fly Curtain / High Downtrack(For Water-proof)
- Package Method: EPE Foam Wrapped
- Hardware: Germany RUNAS
- Stainless Steel: 10 Years
- Highlight: outdoor aluminium glazed window, Thermal Break aluminium glazed window, custom aluminum windows Thermal Break





More Images













High Energy Efficiency Double Glazing Aluminium Thermal Break Sliding Glass Windows

What is a sliding Window?

Aluminum sliding windows offer a combination of durability, low maintenance, energy efficiency, and aesthetic appeal. Their practical design and versatile features make them an excellent choice for both residential and commercial applications. Aluminum sliding windows combine modern design with functionality and energy efficiency. ELOYD focus on each details to supply the best products and service. We add shipping mark and item labels outside of the case for better recognize. And we tie up wood pallets in the container to make sure products will go to you safely.

Features:

1. One or more sashes slide past each other to open and close.
2. Single Slider: One sash is fixed, while the other sash slides.
3. Double Slider: Both sashes can slide, allowing for more flexibility in ventilation.
4. Many sliding windows come with double or triple glazing options and low-emissivity (Low-E) glass for improved thermal performance.
5. Typically equipped with secure locking systems to enhance safety.

Technical Data:

1. High-quality aluminum
2. Water Penetration Rating: Usually rated for 15-30 PSF
3. Air Infiltration Rating: Typically rated at 0.1 to 0.3 CFM per square foot
4. Weatherstripping: High-quality materials used for enhanced sealing against drafts and moisture
5. Multi-point locking systems for improved security

Why Choose Sliding Windows?

1. Ideal for areas with limited space
2. Complement various residential and commercial styles
3. Better air circulation and ventilation
4. Natural light and energy efficiency
5. Easy operation and maintenance
6. Open by sliding left or right in horizontal
7. Uninterrupted outdoor views
8. Safety locking system and protection

Product Parameters:

SERIES	110 sliding Window
BRAND	ELOYD
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	Glass:5+20A+5mm Double Clear Tempered Glass
HARDWARE	RUNAS Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized

Panoramic sliding window

Warranty service, More than 5 years



Whole house
customization



High efficiency
sound insulation



Multiple seal



Guaranteed
after sale



CE certification



6063 primary aluminum

High quality PA66GF25

European arc line, optional hypotenuse line design

Imported fluorocarbon paint finish

Frame fan inside and outside flush design

Hollow aluminum strip filled with molecular sieve

5+12A+5 large hollow tempered glass

Openable guard rail design

GB304# stainless steel diamond gauze

Industry high-end system window hardware

Sealing process of duck bill strip

Thermal break isotherm design

Wind pressure resistance: Lv. 9

Property



Packing and shipping



TRANSPORTATION



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Certificate



AS2047



CSA



CE



CE



ALIBABA CERTIFICATION



intertek
Total Quality Assured.



PATENT CERTIFICATE



PATENT CERTIFICATE

Project case



America



Germany



America



Britain



Australia



Oman



Russia



Singapore

ARE YOU A CONTRACTOR ?

Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

1. High-quality windows and doors
2. Engineering quality assurance
3. One-stop supply of windows and doors
4. Installation tutorial
5. After-sales service
6. Delivery and shipment



Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China