



Sliding Balcony Door sliding door thermal break double tempered glass sliding door


Our Product Introduction

for more products please visit us on aluminiumwindowsdoor.com

Basic Information

- Place of Origin: China
- Brand Name: Eloyd
- Certification: CE
- Model Number: 56 serie sliding door
- Minimum Order Quantity: 2
- Price: USD78/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C, T/T, Western Union, PayPal
- Supply Ability: 10000

LOYD



Product Specification

- Frame Color: Black
- Weather Resistance: Yes
- Material: 2.2mm/3.0mm Thick Aluminium
- Glass: 5+20A+5mm Double Clear Tempered Glass
- Design: According To Confirmed Drawing
- Drawings: 3D Design Drawings
- Package Method: EPE Foam Wrapped
- Hardware: Germany RUNAS
- Stainless Steel: 10 Years
- Highlight: thermal break sliding balcony door, thermal break sliding door, sliding balcony door

LOYD




More Images


LOYD



LOYD



LOYD



Product Description

Sliding Balcony Door sliding door thermal break double tempered glass sliding door

What is a sliding door?

Sliding doors consist of one or more door panels that either glide open on a bottom-mounted track or on hanging rollers mounted from above. The different styles of sliding doors include multi-slide doors, French doors, barn doors, pocket doors, lift-and-slide doors, and patio doors (sometimes called a sliding glass door).

Unlike swinging doors that need extra space for the panel to open, the sliding door's panels stack. This makes them ideal for living rooms or balconies that may have furniture in the way. Exterior sliding doors are typically two or more large glass panels, earning them the nickname "panoramic doors." Sliding doors make for massive openings that can open up a room and create a stronger sense of connection to the surrounding nature. This design is also ideal for high-traffic areas like the passageway leading to the backyard or patio during a get-together

Technical Data:

1. 6063-T5 aviation grade aluminum
2. Broken bridge aluminum alloy profile
3. Sound insulation and heat preservation
4. Waterproof and hurricane resistance
5. Optional motorized blinds
6. Both sliders open
7. Metal wall thickness: 2 mm,
8. Custom color coating finish
9. Insulated double pane tempered glass with argon inside

Why choose Eloyd Windows and Doors ?

1. Raw aluminum profiles
Corrosion resistance, good oxidation resistance, higher strength
2. Insulated tempered glass
3C quality certified automotive grade glass, strong pressure resistance, not easy to explode
3. German RUNAS hardware
Anti-stretching and anti-aging, good sealing and overlapping effect, long-lasting and stable performance
4. PICC China PICC Underwriting
All products of Eloyd doors and windows have passed the inspection by the national quality inspection and supervision department and are insured by China PICC. Buy with confidence and use with confidence.

FAQ

- Q1: Are you a factory ?
A: Yes, Our factory covers an area of 30000 and has 500+ employees.
- Q2: What is your main product?
A: We can supply the window system (including profile, hardware, accessories, glass) as well as the finished products ready for installation.
- Q3: How can I know your price?
A: The price is based on buyer's specific requirement, so please provide below information to help us quote exact price to you.
(1) Shop drawing / window schedule to show the window dimensions, quantity and type;
(2) Frame Color Type of glass and thickness (single or double or laminated or others) and color (clear, tinted, reflective, Low-E or others, with Argon or without).
- Q4: What is your delivery time?
A: 25-35 days after deposit and drawing confirmed
- Q5: What is your warranty ? What do we do in case of problems?
A: 10 years quality warranty is provided, including frame unfading nor peel-off, hardware and accessories working properly under correct operation.
- Q6: What kind of service will you provide?
A: We are able to provide online engineering and supervision services to guide the installation of our windows and doors.

Product Parameters:

SERIES	56 serie sliding door
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.2mm/3.0mm Thick Aluminium
GLASS	5+20A+5mm Double Clear Tempered Glass
HARDWARE	BOGO Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized




PRODUCT PARAMETER

LOYD



Packing and shipping



TRANSPORTATION



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Certificate



AS2047



CSA



CE



CE



ALIBABA CERTIFICATION




Intertek
Total Quality Assured.



PATENT CERTIFICATE



PATENT CERTIFICATE



ARE YOU A CONTRACTOR ?

Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

1. High-quality windows and doors
2. Engineering quality assurance
3. One-stop supply of windows and doors
4. Installation tutorial
5. After-sales service
6. Delivery and shipment



Foshan Yiluode Doors And Windows Co., Ltd.

+8618169835994

sales08@fseloyd.com

aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China