



Slide Thermal Arched Domal Aluminium Windows 6063 T5 Aluminum Alloy Profiles

Our Product Introduction

for more products please visit us on aluminiumwindowsdoor.com

Basic Information

- Place of Origin: China
- Brand Name: Eloyd
- Certification: CE
- Model Number: 110 sliding Window
- Minimum Order Quantity: 2
- Price: USD78/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C, T/T, Western Union, PayPal
- Supply Ability: 10000



Product Specification

- Function: Soundproof
- Hardware: Germany RUNAS
- Material: 2.0mm Aluminium Thickness
- Glass: Glass:5+20A+5mm
- Design: According To Confirmed Drawing
- Accessory: Fly Net / Fly Curtain / High Downtrack(For Water-proof)
- PackageMethod: EPE Foam Wrapped
- Stainless Steel: 10 Years
- Highlight: Slide Thermal domal aluminium windows, 6063 domal aluminium windows, T5 arched aluminium windows



More Images





High Quality Slide Thermal Hurricane Impact Small Sliding Glass Windows

sound insulation:

COMPREHENSIVE SOUND INSULATION TECHNOLOGY

All-round sound insulation technology to outdoor noise problems

Flat fan sound insulation: more fit

Single pressure line design, improve the uneven traditional window sash close the window more fit, more effective noise reduction

indoor

Outdoor

Sealed sound insulation: no seams

In addition, Germany imported rubber sealing strip deformation, better seal

Double glass + multi-chamber sound insulation multi-layer barrier

The multi-cavity window frame can be configured with double insulating glass to block multiple sound noise further reduce external noise

Track design:

1. Water drainage in bottom track

2. Concealed drainage

3. Adopt imported high permeability gauze

4. Embedded in the bottom rail top the fan and the bottom rail seamless connection

5. Bottom track drainage systems are commonly used in sliding and folding door applications, particularly in areas such as glass doors, patio doors, and commercial entrances.

What is a sliding Window?

Aluminum sliding windows offer a combination of durability, low maintenance, energy efficiency, and aesthetic appeal. Their practical design and versatile features make them an excellent choice for both residential and commercial applications. Aluminum sliding windows combine modern design with functionality and energy efficiency. ELOYD focus on each details to supply the best products and service. We add shipping mark and item labels outside of the case for better recognize. And we tie up wood pallets in the container to make sure products will go to you safely.

Technical Data:

1. High-quality aluminum

2. Water Penetration Rating: Usually rated for 15-30 PSF

3. Air Infiltration Rating: Typically rated at 0.1 to 0.3 CFM per square foot

4. Weatherstripping: High-quality materials used for enhanced sealing against drafts and moisture


5. Multi-point locking systems for improved security

Product Parameters:

SERIES	110 sliding Window
BRAND	ELOYD
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	Glass: 5+20A+5mm Double Clear Tempered Glass
HARDWARE	RUNAS Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized

Panoramic sliding window

Warranty service, More than 5 years



Whole house
customization



High efficiency
sound insulation



Multiple seal



Guaranteed
after sale



CE certification



6063 primary aluminum

High quality PA66GF25

European arc line, optional hypotenuse line design

Imported fluorocarbon paint finish

Frame fan inside and outside flush design

Hollow aluminum strip filled with molecular sieve

5+12A+5 large hollow tempered glass

Openable guard rail design

GB304# stainless steel diamond gauze

Industry high-end system window hardware

Sealing process of duck bill strip

Thermal break isotherm design

Wind pressure resistance: Lv. 9

Property



Packing and shipping



TRANSPORTATION



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Certificate



AS2047



CSA



CE



CE



ALIBABA CERTIFICATION



Intertek
Total Quality Assured.



PATENT CERTIFICATE




PATENT CERTIFICATE




America



Germany



America



Britain



Australia



Oman



Russia



Singapore

ARE YOU A CONTRACTOR ?

Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

1. High-quality windows and doors
2. Engineering quality assurance
3. One-stop supply of windows and doors
4. Installation tutorial
5. After-sales service
6. Delivery and shipment



Foshan Yilude Doors And Windows Co., Ltd.

+8618169835994

sales08@fseloyd.com

aluminiumwindowdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China