



## Hurricane Impact Double Glazed Picture Window Aluminum Fixed Windows

Our Product Introduction

for more products please visit us on [aluminiumwindowsdoor.com](http://aluminiumwindowsdoor.com)

### Basic Information

- Place of Origin: China
- Brand Name: Eloyd
- Certification: CE
- Model Number: Fixed Windows
- Minimum Order Quantity: 2
- Price: USD115/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C, T/T, Western Union, PayPal
- Supply Ability: 10000







### Product Specification

- Energy Efficiency: Low, Medium, High
- Soundproofing: Yes
- Glass: 5+20+5mm Double Clear Tempered Glass
- Design: According To Confirmed Drawing
- Thick: 2.0mm Thick Aluminium
- Package: EPE Foam Wrapped
- Installation Method: Full Frame Replacement
- Certifications: CE
- Highlight: Double Glazed Picture Window, Aluminum Fixed Picture Window, Hurricane Impact Fixed Windows





### More Images



## Hurricane Impact Double Glazed Picture Window Aluminum Fixed Windows

### Technical Data:

1. Single, Double, Triple Glazing
2. U Factor = 0.28-0.38 Size depending.
3. Typically ranges from 0.25 to 0.35, indicating good thermal performance.
4. Widths generally range from 24" to 48", and heights from 36" to 72".
5. The 2.0mm wall thickness guarantees greater stability and durability of the window

### Insulating glass:

Insulating glass is a high-performance sound-insulating and heat-insulating glass made of two or more pieces of glass, which is bonded to an aluminum alloy frame containing a desiccant using a high-strength and high-airtightness composite adhesive. Insulating glass plays an important role in modern architecture with its superior performance and wide range of applications.

Common sizes:

5+6A+55+9A+55+12A+55+15A+55+18A+55+20A+55+22A+55+27A+5

6+6A+66+9A+66+12A+66+15A+66+18A+66+20A+66+22A+66+27A+6

### What is 6063-T5 ?

6063:6063 aluminum alloy is an aluminum-magnesium-silicon alloy, mainly composed of aluminum (Al) and elements such as magnesium (Mg) and silicon (Si) are added to improve its properties. This alloy has moderate strength, good corrosion resistance, weldability and easy processing, -T5:

This part indicates the heat treatment state of the aluminum alloy.

The T5 state means that the alloy has been artificially aged to improve its strength and hardness. Specifically, the T5 state is achieved by heating the alloy to the solution treatment temperature, then rapidly cooling (quenching), followed by artificial aging at a lower temperature to achieve the desired physical and mechanical properties.

### Fixed Windows:

Fixed windows are non-operable windows that do not open or close. They are designed primarily to provide natural light, enhance views, and improve the aesthetic appeal of a space. Fixed windows are an excellent option for enhancing natural light and views while providing durability and energy efficiency. Their aesthetic appeal and versatility make them a popular choice for various architectural applications. Adds beauty to both the interior and exterior of a home, creating a modern and elegant look. Many fixed windows feature low-emissivity coatings that help control heat gain and loss. Built to withstand various weather conditions without the wear that moving parts might experience.

### Product Parameters:

SERIES	110 serie Casement Window
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	5mm+20A+5mm Double Tempered Glass
HARDWARE	Gingle Handle
SURFACE TREATMENT	Powder Coating, Anodized



# Packing and shipping



## TRANSPORTATION



## **Logistics AndTransportation**

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

### **Packing and delivery process**

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

# Certificate



AS2047



CSA




CE



CE



ALIBABA CERTIFICATION



Intertek  
Total Quality Assured.



PATENT CERTIFICATE



PATENT CERTIFICATE

# Project case



America



Germany




America



Britain



Australia



Oman



Russia



Singapore

## ARE YOU A CONTRACTOR ?

### **Project Experience:**

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

1. High-quality windows and doors
2. Engineering quality assurance
3. One-stop supply of windows and doors
4. Installation tutorial
5. After-sales service
6. Delivery and shipment



**Foshan Yiluode Doors And Windows Co., Ltd.**



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China