

# French Insulation House Windows Aluminum Alloy Glass Fixed Windows For Balcony

### **Basic Information**

. Place of Origin: China . Brand Name: Eloyd CE · Certification:

**Fixed Windows** Model Number:

Minimum Order Quantity:

• Price: USD115/

EPE Foam wrapped · Packaging Details:

• Delivery Time: 25-30days

Payment Terms: L/C, T/T, Western Union, PayPal

. Supply Ability: 10000



### **Product Specification**

• Weather Resistance: Excellent

 Security Features: Locks, Reinforced Glass

Glass: 5+20+5mm Double Clear Tempered Glass

According To Confirmed Drawing . Design:

. Thick: 2.0mm Thick Aluminium **EPE Foam Wrapped** · Package: Installation Method: Full Frame Replacement

Certifications: CE

. Highlight: Aluminum Alloy Fixed Windows,

**Balcony Fixed Windows**,

**House Windows Fixed Windows** 



### More Images







# French Insulation House Windows Aluminum Alloy Glass Fixed Windows For Balcony

### Insulating glass:

Insulating glass is a high-performance sound-insulating and heat-insulating glass made of two or more pieces of glass, which is bonded to an aluminum alloy frame containing a desiccant using a high-strength and high-airtightness composite adhesive. Insulating glass plays an important role in modern architecture with its superior performance and wide range of applications.

Common sizes:

5+6A+55+9A+55+12A+55+15A+55+18A+55+20A+55+22A+55+27A+5 6+6A+66+9A+66+12A+66+15A+66+18A+66+20A+66+22A+66+27A+6

#### What is 6063-T5?

6063:6063 aluminum alloy is an aluminum-magnesium-silicon alloy, mainly composed of aluminum (Al) and elements such as magnesium (Mg) and silicon (5i) are added to improve its properties. This alloy has moderate strength, good corrosion resistance, weldability and easy processing, -T5:

This part indicates the heat treatment state of the aluminum alloy.

The T5 state means that the alloy has been artificially aged to improve its strength and hardness. Specifically, the T5 state is achieved by heating the alloy to the solution treatment temperature, then rapidly cooling (quenching), followed by artificial aging at a lower temperature to achieve the desired physical and mechanical properties.

#### Technical Data:

Anti-fall configuration

The window anti-fall rope is a safety device designed specifically for windows. It prevents windows from falling by pulling the rope when the window is accidentally opened or loosened.

Function

Anti-fall function: It can quickly provide tension when the window is accidentally loosened or opened to prevent the window from falling in whole or in part. Safety guarantee: For public buildings such as high-rise residential buildings, schools, and hospitals, the window anti-fall rope is one of the important measures to ensure the safety of windows, which can effectively reduce the risk of safety accidents caused by window falling.

Material: Made of high-strength and corrosion-resistant materials such as stainless steel and steel wire rope to ensure that it can withstand sufficient tension and maintain stability during use.

#### Floor Drainag;

The working principle of the floor drain of the window is similar to that of the hidden drain, but in order to avoid the loss of the drain hole cover, it opens a hole at the bottom and outside of the window frame. The two holes are connected by a special drain hole cover, and screws are screwed around to ensure its stability. When rainwater or accumulated water enters the inside of the window frame, they will flow along the inclined profile to the drain hole at the bottom, and then drain to the outside through the drain hole cover.

#### **Product Paramenters:**

SERIES	110 serise Casement Window
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	5mm+20A+5mm Double Tempered Glass
HARDWARE	Gingle Handle
SURFACE TREATMENT	Powder Coating, Anodized

# PRODUCT PARAMETER

# ≣LOYO



# Packing and shipping











### TRANSPORTATION









## Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation servicefrom our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

#### Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

# Certificate









AS2047

CSA

CE

CE









ALIBABA CERTIFICATION



PATENT CERTIFICATE

PATENT CERTIFICATE

















# ARE YOU A CONTRACTOR ?

### Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

- 1. High-quality windows and doors
- 2. Engineering quality assurance
- 3. One-stop supply of windows and doors
- 4. Installation tutorial
- 5. After-sales service
- 6. Delivery and shipment

Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com