



Hot Popular Energy Saving Thermal Break Double Clear Tempered Glass **Fixed Windows**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- **Fixed Windows** 2 USD115/ EPE Foam wrapped 25-30days
- L/C, T/T, Western Union, PayPal
- 10000



Product Specification

- Application:
- Design Style:

• Glass:

• Design: • Thick:

Apartment Victorian

China

Eloyd

CE

- 5+20+5mm Double Clear Tempered Glass

- EPE Foam Wrapped
- Installation Method:
- Certifications:
- Highlight:

• Package:

- According To Confirmed Drawing
- 2.0mm Thick Aluminium

- Full Frame Replacement
 - CE
 - **Energy Saving Fixed Windows**

ELOY/D



for more products please visit us on aluminiumwindowsdoor.com

More Images







Hot Popular Energy Saving Thermal Break Double Clear Tempered Glass Fixed Windows

What is 6063-T5 ?

6063:6063 aluminum alloy is an aluminum-magnesium-silicon alloy, mainly composed of aluminum (AI) and elements such as magnesium (Mg) and silicon (5i) are added to improve its properties. This alloy has moderate strength, good corrosion resistance, weldability and easy processing, -T5:

This part indicates the heat treatment state of the aluminum alloy.

The T5 state means that the alloy has been artificially aged to improve its strength and hardness. Specifically, the T5 state is achieved by heating the alloy to the solution treatment temperature, then rapidly cooling (quenching), followed by artificial aging at a lower temperature to achieve the desired physical and mechanical properties.

Technical Data:

- 1. High-quality aluminum
- 2. Water Penetration Rating: Usually rated for 15-30 PSF
- 3. 304 gold mesh steel: strong, higher wear resistance
- 4. High-transmittance diamond mesh: good light transmittance, good air permeability, poor wear resistance
- 5. Multi-point locking systems for improved security

Insulating glass:

Insulating glass is a high-performance sound-insulating and heat-insulating glass made of two or more pieces of glass, which is bonded to an aluminum alloy frame containing a desiccant using a high-strength and high-airtightness composite adhesive. Insulating glass plays an important role in modern architecture with its superior performance and wide range of applications.

Common sizes:

5+6A+55+9A+55+12A+55+15A+55+18A+55+20A+55+22A+55+27A+5 6+6A+66+9A+66+12A+66+15A+66+18A+66+20A+66+22A+66+27A+6

Floor Drainag;

Solve the problem of loss: The floor drain is fixed with a special drain hole cover and screws, which effectively solves the problem that the traditional drain hole cover is easy to lose. Prevent backflow: The downward tilted design makes water retention faster and less likely to form water accumulation, thereby reducing the possibility of rainwater backflow. Enhance water tightness: The good water tightness design allows doors and windows to be fearless of heavy rain and effectively prevent outdoor rainwater from entering the room. Aesthetics: Although the drainage system is visible in appearance, the special drain hole cover design can make it integrated with the window frame to maintain the overall aesthetics of the doors and windows.

Product Paramenters:

SERIES	Fixed Windows
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	5mm+20A+5mm Double Tempered Glass
HARDWARE	Gingle Handle
SURFACE TREATMENT	Powder Coating, Anodized



Packing and shipping



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

STANDARDSMARK - A (Statiour EUGTEST Certificate of Compliance ATTESTATION OF CONFORMITY Foshan Yiluode Doors And Windows Co., Ltd TECHNICAL INSPECTION ATTESTATION OF CONFORMITY Table Marian Table Marian the second second 111 Andread and a first state Variable TV March 2014 Marcon and other a part form a land the line of the second nen mener mangelen Mit en Mandelanden an skapligen bisker die 1310 Marit skoren 1 Andle Include -And A CONTRACTOR 2000.000 VICE/E. Œ later die -1076.7 0 -- Hand ----15-2 Territoria C A statement CE CE AS2047 CSA pr m a ····· intertek 1 Verified Foshan Yiluode 实用新型专利证书 Verified Supplier Certifie 112714 - Hansleigta 8 8 1-155814 9 6 1-55814 Doors And Windows Co., Ltd. Summerle month of a TEST REPORT ---- CONTRACTOR CONTRACTON CONTRACTON CONTRACTON CONTRACTON CONTRACTON ----Annohami Annohami Ann -111 111 111 111 111 -The state of the second st 4 100.00 :: 中江南 こ ゆこわ (: 22 soo 名 intertek ALIBABA CERTIFICATION PATENT CERTIFICATE PATENT CERTIFICATE

Certificate

Project case

















ARE YOU A CONTRACTOR ?

Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

- 1. High-quality windows and doors
- 2. Engineering quality assurance
- 3. One-stop supply of windows and doors
- 4. Installation tutorial
- 5. After-sales service
- 6. Delivery and shipment

