



Low E Glass Fixed Soundproofing Windows Allstyle Aluminium Windows

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

2 USD115/ EPE Foam wrapped 25-30days

China

Eloyd

10000

Fixed Windows

CE

- L/C, T/T, Western Union,PayPal
- Ability:



Product Specification

- Application: Design Style:
- Design Style.
- Glass:Design:
- Boolgii
- Thick:
- Package:
- Installation Method:
- Certifications:
- Highlight:

Apartment Victorian

- 5+20+5mm Double Clear Tempered Glass
- According To Confirmed Drawing
 - 2.0mm Thick Aluminium
- EPE Foam Wrapped
- 1: Full Frame Replacement

CE

Fixed Glass soundproofing windows, Allstyle soundproofing windows, Soundproofing allstyle aluminium windows



More Images



Hurricane Impact Heat Insulated Aluminum Low-E Glass Fixed Windows For Apartment

Floor Drainag;

Solve the problem of loss: The floor drain is fixed with a special drain hole cover and screws, which effectively solves the problem that the traditional drain hole cover is easy to lose. Prevent backflow: The downward tilted design makes water retention faster and less likely to form water accumulation, thereby reducing the possibility of rainwater backflow. Enhance water tightness: The good water tightness design allows doors and windows to be fearless of heavy rain and effectively prevent outdoor rainwater from entering the room. Aesthetics: Although the drainage system is visible in appearance, the special drain hole cover design can make it integrated with the window frame to maintain the overall aesthetics of the doors and windows.

Technical Data:

- 1. High-quality aluminum
- 2. Water Penetration Rating: Usually rated for 15-30 PSF
- 3. 304 gold mesh steel: strong, higher wear resistance
- 4. High-transmittance diamond mesh: good light transmittance, good air permeability, poor wear resistance
- 5. Multi-point locking systems for improved security

Hollow aluminum strip:

Also known as hollow aluminum spacers, it is one of the essential materials for producing hollow glass. It uses high-purity aluminum as raw material and undergoes multiple processes to have a smooth surface, no oxidation, no corrosion, etc. Black hollow aluminum bar, using advanced one-piece bending, green energy molecular sieve, hollow injection of inert gas, high aesthetics, good sealing effect

Common specifications

Common specifications of hollow aluminum bars include 4mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 8mm, 8.5mm, 9mm and other sizes

What is 6063-T5 ?

6063:6063 aluminum alloy is an aluminum-magnesium-silicon alloy, mainly composed of aluminum (AI) and elements such as magnesium (Mg) and silicon (5i) are added to improve its properties. This alloy has moderate strength, good corrosion resistance, weldability and easy processing, -T5:

This part indicates the heat treatment state of the aluminum alloy.

The T5 state means that the alloy has been artificially aged to improve its strength and hardness. Specifically, the T5 state is achieved by heating the alloy to the solution treatment temperature, then rapidly cooling (quenching), followed by artificial aging at a lower temperature to achieve the desired physical and mechanical properties.

Product Paramenters:

SERIES	Fixed Windows
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	5mm+20A+5mm Double Tempered Glass
HARDWARE	Gingle Handle
SURFACE TREATMENT	Powder Coating, Anodized



Packing and shipping



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

STANDARDSMARK - A (Statiour EUGTEST Certificate of Compliance ATTESTATION OF CONFORMITY Foshan Yiluode Doors And Windows Co., Ltd TECHNICAL INSPECTION ATTESTATION OF CONFORMITY Table Marian Table Marian the second second 111 Andread and a first state Variable TV March 2014 Marcon and other a part form a land the line of the second nen mener mangelen Mit en Mandelanden an skapligen bisker die 1310 Marit skoren 1 Andle Include -And A CONTRACTOR 2000.000 VICE/E. Œ later die -1076.7 0 -- Hand ----15-2 Territoria C A statement CE CE AS2047 CSA pr m a ····· intertek 1 Verified Foshan Yiluode 实用新型专利证书 Verified Supplier Certifie 112714 - Hansleigta 8 8 1-155814 9 6 1-55814 Doors And Windows Co., Ltd. Summerle month of a TEST REPORT ---- CONTRACTOR CONTRACTON CONTRACTON CONTRACTON CONTRACTON CONTRACTON ----Annohami Annohami Ann -111 111 111 111 111 -The state of the second st 4 100.00 :: 中江南 こ ゆこわ (: 22 soo 名 intertek ALIBABA CERTIFICATION PATENT CERTIFICATE PATENT CERTIFICATE

Certificate

Project case

















ARE YOU A CONTRACTOR ?

Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

- 1. High-quality windows and doors
- 2. Engineering quality assurance
- 3. One-stop supply of windows and doors
- 4. Installation tutorial
- 5. After-sales service
- 6. Delivery and shipment

