



## Fixed Glass Thermal Aluminium Windows 2.0mm Thickness 15 PSF-30 PSF

Our Product Introduction

for more products please visit us on [aluminiumwindowdoor.com](http://aluminiumwindowdoor.com)

### Basic Information

- Place of Origin: China
- Brand Name: Loyd
- Certification: CE
- Model Number: Fixed Windows
- Minimum Order Quantity: 2
- Price: USD115/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C, T/T, Western Union, PayPal
- Supply Ability: 10000





### Product Specification

- Application: Apartment
- Design Style: Victorian
- Glass: 5+20+5mm Double Clear Tempered Glass
- Design: According To Confirmed Drawing
- Thick: 2.0mm Thick Aluminium
- Package: EPE Foam Wrapped
- Installation Method: Full Frame Replacement
- Certifications: CE
- Highlight: Fixed Glass thermal aluminium windows, 30 PSF thermal aluminium windows, 30 PSF aluminium fixed glass window



### More Images



## Southwestern Horizontal Aluminum Panoramic Double Glass Gray Fixed Windows

### Technical Data:

1. High-quality aluminum
2. Water Penetration Rating: Usually rated for 15-30 PSF
3. 304 gold mesh steel: strong, higher wear resistance
4. High-transmittance diamond mesh: good light transmittance, good air permeability, poor wear resistance
5. Multi-point locking systems for improved security

### Floor Drainag;

Solve the problem of loss: The floor drain is fixed with a special drain hole cover and screws, which effectively solves the problem that the traditional drain hole cover is easy to lose. Prevent backflow: The downward tilted design makes water retention faster and less likely to form water accumulation, thereby reducing the possibility of rainwater backflow. Enhance water tightness: The good water tightness design allows doors and windows to be fearless of heavy rain and effectively prevent outdoor rainwater from entering the room. Aesthetics: Although the drainage system is visible in appearance, the special drain hole cover design can make it integrated with the window frame to maintain the overall aesthetics of the doors and windows.

### Hollow aluminum strip:

Also known as hollow aluminum spacers, it is one of the essential materials for producing hollow glass. It uses high-purity aluminum as raw material and undergoes multiple processes to have a smooth surface, no oxidation, no corrosion, etc. Black hollow aluminum bar, using advanced one-piece bending, green energy molecular sieve, hollow injection of inert gas, high aesthetics, good sealing effect

Common specifications

Common specifications of hollow aluminum bars include 4mm, 5mm, 5.5mm, 6mm, 6.5mm, 7mm, 8mm, 8.5mm, 9mm and other sizes

### What is 6063-T5 ?

6063:6063 aluminum alloy is an aluminum-magnesium-silicon alloy, mainly composed of aluminum (Al) and elements such as magnesium (Mg) and silicon (Si) are added to improve its properties. This alloy has moderate strength, good corrosion resistance, weldability and easy processing, -T5:

This part indicates the heat treatment state of the aluminum alloy.

The T5 state means that the alloy has been artificially aged to improve its strength and hardness. Specifically, the T5 state is achieved by heating the alloy to the solution treatment temperature, then rapidly cooling (quenching), followed by artificial aging at a lower temperature to achieve the desired physical and mechanical properties.

### Product Paramenters:

SERIES	Fixed Windows
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	5mm+20A+5mm Double Tempered Glass
HARDWARE	Gingle Handle
SURFACE TREATMENT	Powder Coating, Anodized



# Packing and shipping



## TRANSPORTATION



## **Logistics AndTransportation**

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

### **Packing and delivery process**

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

# Certificate



AS2047



CSA



CE



CE



ALIBABA CERTIFICATION



Intertek  
Total Quality Assured.



PATENT CERTIFICATE



PATENT CERTIFICATE





America



Germany



America



Britain



Australia



Oman



Russia



Singapore

## ARE YOU A CONTRACTOR ?

### Project Experience:

Both in personal cases solution and project construction, Eloyd has professional guidance and experience.

1. High-quality windows and doors
2. Engineering quality assurance
3. One-stop supply of windows and doors
4. Installation tutorial
5. After-sales service
6. Delivery and shipment



Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China