



## ELOYD NFRC Home Hotel Villa House Outdoor Patio Balcony Sliding Folding Doors Modern Black Aluminium Glass Bifold Door for Sale

Our Product Introduction

for more products please visit us on [aluminiumwindowsdoor.com](http://aluminiumwindowsdoor.com)

### Basic Information

- Place of Origin: China
- Brand Name: Eloyd
- Certification: CE
- Model Number: 68 Serise folding door
- Minimum Order Quantity: 2
- Price: 168USD/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C,T/T,Western Union,PayPal
- Supply Ability: 10000



### Product Specification

- Profile Color: Grey / To Select In Color Samples
- Opening Method: Side Opening
- Glass: 5mm+18A/20A+5mm Double Clear Tempered Glass
- Drawings: 3D Design Drawings
- PackageMethod: EPE Foam Wrapped
- Hardware: YKEBT
- Warranty: 10 Years
- SURFACE TREATMENT: Powder Coating



### More Images





+8618169835994



sales08@fseloyd.com

[aluminiumwindowsdoor.com](http://aluminiumwindowsdoor.com)

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China

# Eloyd Fodio Double Glass Exterior Accordion Folding Door Residential Aluminium Bifold Doors

## Product introduction:

- 1.Profile wall thickness  
:2.0mm(primary  
aluminum 6063-T5)
- 2.Glass configuration  
:5mm+20A+5mm(Xinyi  
original sheet glass)
- 3.Hardware  
configuration: Full set of  
YKEBT
- 4.Anti-pinch design:  
Even if a finger is  
inserted into the gap  
between the window  
sashes, it will not be  
pinched
- 5.Arbitrary  
customization: single  
opening, double  
opening, 2+0, 2+1,  
2+2...
- 6.Super large opening  
space: It can be made  
into a 90-degree corner  
without columns, and  
the opening area can  
reach over 95%

## 1. Safety

**Protection: Anti-  
Pinch Design  
Eliminates Hidden  
Hazards**

### Structural Optimization:

The door panels  
feature an anti-pinch  
central column paired  
with impact-resistant

rubber strips, ensuring fingers cannot be pinched even when inserted into gaps. Some models include an anti-pinch lock mechanism—simply press and pull to open, combining convenience with safety.

#### **Child-Friendly Design**

Specialized hardware minimizes pinch risks associated with traditional folding doors, making it particularly suitable for households with young children.

## **2. Space**

### **Efficiency:**

#### **Flexible Folding**

#### **Maximizes Space**

#### **Potential**

##### **Full-Width Opening**

Door panels fold to a single vertical plane, achieving over 95% clearance for optimal ventilation and natural light. For example, when used to enclose balconies, it seamlessly connects indoor and outdoor spaces with unobstructed views.

##### **L-Shaped Corner Design Without Columns**

Breaking from traditional constraints, it supports 90-degree corner installations without vertical posts, ideal for irregularly shaped areas or minimalist design preferences, such as villa courtyards or shopping mall partitions.

## **3. Superior**

# Sealing: Multi-Layer Protection Blocks External Disturbances

## EPDM Sealing Strips

The door frame and panels are equipped with anti-aging EPDM rubber strips, delivering exceptional waterproofing and sound insulation while reducing energy consumption by up to 30%, effectively blocking rain and noise.

## Insulated Tempered Glass

Standard configurations include 5mm+18A+5mm or 5mm+20A+5mm double-glazed tempered glass with inert gas filling, further enhancing acoustic and thermal insulation—perfect for noisy environments or temperature-controlled spaces.

# Recommended Applications

## Residential

**Settings:** Balcony enclosures, living room partitions, child-safe room dividers—balancing aesthetics and functionality.

## Commercial

**Settings:** Shopping mall exhibitions, office partitions, hotel banquet halls—enhancing spatial transparency and sophistication.

## Specialized Needs:

Villa courtyard entrances, resort landscape gates—large-span designs

create striking visual impact.

The 68 anti-pinch folding door prioritizes safety while integrating space optimization, durable sealing, and customizable aesthetics. Its thoughtful design and material selection reflect a deep commitment to user experience, making it a top recommendation for home renovations or commercial projects seeking quality and efficiency.

**Product  
Parameters:**

SERIES
BRAND
PROFILE
THICKNESS
GLASS
HARDWARE
SURFACE TREATMENT

68 serie folding door  
Eloyd  
6063# T5 aluminum alloy profiles  
2.0mm Thick Aluminium  
5mm+18/20A+5mm Double Clear Tempered Glass  
standard Lock & Handle  
Powder Coating, Anodized



PRODUCT PARAMETER

Packing and shipping

TRANSPORTATION

**Logistics  
AndTransport  
ation**

Clear and trackable logistics process  
ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.  
Comprehensive door-to-door transportationsevice  
e  
We offer a complete door-to-door

transportation  
servicefrom our factory  
to your doorstep, aiming  
to provide youwith a  
pleasant shopping  
experience.

