

Custom Made House Hotel Office Balcony Aluminium Sliding Glass Doors and windows Bullet Proof Sound Proof Glass Door

Basic Information

Place of Origin: ChinaBrand Name: EloydCertification: CE

Model Number: 56 serise sliding door

• Minimum Order Quantity: 2

• Price: USD78/

Packaging Details:
 EPE Foam wrapped

• Delivery Time: 25-30days

Payment Terms: L/C,T/T,Western Union,PayPal

• Supply Ability: 10000



Product Specification

Opening Direction: Left/RightInstallation Method: Surface Mount

Material: 2.2mm/3.0mm Thick Aluminium

• Glass: 5+20A+5mm Double Clear Tempered Glass

Design: According To Confirmed Drawing

Drawings: 3D Design Drawings
 PackageMethod: EPE Foam Wrapped
 Hardware: BOGO Hardware

• Stainless Steel: 10 Years



More Images







Custom Made House Hotel Office Balcony Aluminium Sliding Glass Doors and windows Bullet Proof Sound Proof Glass Door

Strong practicality: Sealing, sound insulation and durability all in one

Excellent sealing performance

Multi-seal design: wool strips + silicone sealing strips + magnetic strips, effectively preventing dust and rainwater from seeping in, suitable for areas with strong wind and sand or high humidity (such as coastal cities);

Air tightness: The combination of broken bridge aluminum profiles and EPDM rubber strips reduces the air convection between indoor and outdoor, enhancing the efficiency of air conditioners and heaters.

The sound insulation and noise reduction effect is remarkable

Double-layer insulating glass (such as 5mm+20A+5mm) can reduce noise by 30 to 40 decibels. After being used in street-facing residences or offices, the indoor noise can be controlled below 35 decibels (close to the environment of a library). Heavy-duty pulley system: Reduces vibration during opening and closing, further lowering noise.

High durability and simple maintenance

Profile corrosion resistance: The surface of the aluminum alloy is treated with anodic oxidation or powder coating, which has strong weather resistance and a service life of more than 15 years.

Smooth pulley: The stainless steel bearing pulley has a strong load-bearing capacity (usually ≥200kg), and remains smooth even after being opened and closed 500,000 times.

Easy to clean: The glass panel can be wiped clean immediately, and the hidden track reduces dust accumulation.

Technical Data:

- 1. 6063-T5 aviation grade aluminum
- 2. Broken bridge aluminum alloy profile
- 3. Sound insulation and heat preservation
- 4. Waterproof and hurricane resistance
- 5. Optional motorized blinds
- 6. Both sliders open
- 7. Metal wall thickness: 2 mm,
- 8. Custom color coating finish
- 9. Insulated double pane tempered glass with argon inside

Why choose Eloyd Windows and Doors?

1 .Raw aluminum profiles

Corrosion resistance, good oxidation resistance, higher strength

2. Insulated tempered glass

3C quality certified automotive grade glass, strong pressure resistance, not easy to explode

3. German RUNAS hardware

Anti-stretching and anti-aging, good sealing and overlapping effect, long-lasting and stable performance

4. PICC China PICC Underwriting

All products of Eloyd doors and windows have passed the inspection by the national quality inspection and supervision department and are insured by China PICC. Buy with confidence and use with confidence.

Product Paramenters:

| SERIES | 76 serise sliding door |
|-------------------|---------------------------------------|
| BRAND | Eloyd |
| PROFILE | 6063# T5 aluminum alloy profiles |
| THICKNESS | 3.0mm/ Thick Aluminium |
| GLASS | 5+22A+5mm Double Clear Tempered Glass |
| HARDWARE | BOGO Lock & Handle |
| SURFACE TREATMENT | Powder Coating, Anodized |



Packing and shipping











TRANSPORTATION









Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation servicefrom our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Certificate









AS2047

CSA

CE

CE









ALIBABA CERTIFICATION



PATENT CERTIFICATE

PATENT CERTIFICATE

HIGH-END ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

VIEW MORE





















Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



@ aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China