



#### Sliding Door Double Glazed Glass Windows Stacker Patio Door Exterior **Stackable Balcony Aluminum Sliding Doors**

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

#### 2 USD78/ EPE Foam wrapped

56 serise sliding door

25-30days

10000

China

Eloyd

CE

- L/C,T/T,Western Union,PayPal

### 



#### **Product Specification**

- Opening Direction:
- Installation Method:
- Material:
- Glass:
- Design:
- Drawings:
- PackageMethod:
- Hardware:
- Stainless Steel:

#### Left/Right

Surface Mount 2.2mm/3.0mm Thick Aluminium 5+20A+5mm Double Clear Tempered Glass According To Confirmed Drawing 3D Design Drawings EPE Foam Wrapped **BOGO Hardware** 10 Years

#### 



#### More Images

#### 







## Minimalist Design Heavy Duty Sliding Door House Exterio Patio Aluminum Door Beautiful Balcony Sliding Glass Doors

#### Minimalist aesthetics enhance the style of the space

**Narrow frame design:** Utilizing extremely narrow aluminum frames or invisible frames, it maximizes the proportion of glass, reduces visual obstruction, and naturally integrates indoor and outdoor Spaces, creating a transparent and spacious visual effect.

**Modern minimalist style:** With simple and smooth lines and no superfluous decoration, it seamlessly blends with various architectural styles (such as modern, industrial, and Nordic), enhancing the overall design sense.

**Natural light optimization:** The large area of glass design allows sunlight to fully penetrate, reducing the need for artificial lighting while making the interior appear brighter and more spacious.

#### Heavy-duty structure, combining durability and safety

**High-strength materials:** Heavy-duty aluminum alloy or tempered glass is selected, which has strong impact resistance and deformation resistance, and can withstand harsh weather conditions (such as strong winds and heavy rain) and frequent use. **Stable frame:** Thickened profiles and reinforced structure ensure the stability of the door body, reducing the risk of shaking. It is especially suitable for high-rise buildings or large-span openings.

Safety protection: Equipped with a multi-point lock system, anti-picking design and child safety lock, it enhances anti-theft performance and ensures family safety.

#### Outstanding performance, adaptable to diverse environments

Strong sealing performance: With multiple sealing strips and a hidden drainage design, it effectively blocks rainwater, dust and noise, enhancing indoor comfort.

Thermal insulation and heat preservation: By pairing with low-emissivity (Low-E) glass or insulating glass, heat transfer is reduced, air conditioning energy consumption is lowered, and energy conservation and environmental protection are achieved.

Wind pressure resistance: The heavy-duty structure can withstand strong winds of over level 12, making it suitable for use in coastal or windy areas.

#### **Product Paramenters:**

SERIES	150 serise sliding door
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	3.0mm/8.0mm Thick Aluminium
GLASS	5+22A+5mm Double Clear Tempered Glass
HARDWARE	ELOYD Lock
SURFACE TREATMENT	Powder Coating, Anodized



## Packing and shipping



#### Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

#### Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

#### STANDARDSMARK - A (Statiour EUGTEST Certificate of Compliance ATTESTATION OF CONFORMITY Foshan Yiluode Doors And Windows Co., Ltd TECHNICAL INSPECTION ATTESTATION OF CONFORMITY Table Marian Table Marian the second second 111 Andread and a first state Variable TV March 2014 Marcon and other a part form a land the line of the second nen mener mangelen Mit en Mandelanden an skapligen bisker die 1310 Marit skoren 1 Andle Include -And A CONTRACTOR 2000.000 VICE/E. Œ later die -1076.7 0 -- Hand ----15-2 Terrer Constant Constant of Co C A statement CE CE AS2047 CSA pr m a ····· intertek 1 Verified Foshan Yiluode 实用新型专利证书 Verified Supplier Certifie 112714 - Hansleigta 8 8 1-155814 9 6 1-55814 Doors And Windows Co., Ltd. Summerle month of a TEST REPORT ---- CONTRACTOR CONTRACTON CONTRACTON CONTRACTON CONTRACTON CONTRACTON ----Annohami Annohami Ann -111 111 111 111 111 -The state of the second st 4 100.00 ..... :: 中江南 こ ゆこわ (: 22 son 名 intertek ALIBABA CERTIFICATION PATENT CERTIFICATE PATENT CERTIFICATE

Certificate

# HIGH-END ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

VIEW MORE









## APPRECIATE









