TOO PER

H3 Experience Perfect Combination Of Style And Functionality Glass Sliding Door Left / Right Opening

Basic Information

Place of Origin: ChinaBrand Name: EloydCertification: CE

Model Number: 56 serise sliding door

• Minimum Order Quantity: 2

• Price: USD78/

Packaging Details:
 EPE Foam wrapped

• Delivery Time: 25-30days

Payment Terms: L/C,T/T,Western Union,PayPal

• Supply Ability: 10000



Product Specification

Opening Direction: Left/RightInstallation Method: Surface Mount

• Material: 2.2mm/3.0mm Thick Aluminium

• Glass: 5+20A+5mm Double Clear Tempered Glass

Design: According To Confirmed Drawing

Drawings: 3D Design Drawings
 PackageMethod: EPE Foam Wrapped
 Hardware: BOGO Hardware

• Stainless Steel: 10 Years

Highlight: Left Opening Glass Sliding Door,

 Dight Opening Glass Sliding Door,

Right Opening Glass Sliding Door





More Images







Minimalist Design Heavy Duty Sliding Door House Exterio Patio Aluminum Door Beautiful Balcony Sliding Glass Doors

Minimalist aesthetics enhance the style of the space

Narrow frame design: Utilizing extremely narrow aluminum frames or invisible frames, it maximizes the proportion of glass, reduces visual obstruction, and naturally integrates indoor and outdoor Spaces, creating a transparent and spacious visual effect.

Modern minimalist style: With simple and smooth lines and no superfluous decoration, it seamlessly blends with various architectural styles (such as modern, industrial, and Nordic), enhancing the overall design sense.

Natural light optimization: The large area of glass design allows sunlight to fully penetrate, reducing the need for artificial lighting while making the interior appear brighter and more spacious.

Heavy-duty structure, combining durability and safety

High-strength materials: Heavy-duty aluminum alloy or tempered glass is selected, which has strong impact resistance and deformation resistance, and can withstand harsh weather conditions (such as strong winds and heavy rain) and frequent use. **Stable frame:** Thickened profiles and reinforced structure ensure the stability of the door body, reducing the risk of shaking. It is especially suitable for high-rise buildings or large-span openings.

Safety protection: Equipped with a multi-point lock system, anti-picking design and child safety lock, it enhances anti-theft performance and ensures family safety.

Product Paramenters:

SERIES	18 serise sliding door
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm/ Thick Aluminium
GLASS	5+20A+5mm /8mm Double Clear Tempered Glass
HARDWARE	ELOYD Lock
SURFACE TREATMENT	Powder Coating, Anodized



Packing and shipping





Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation servicefrom our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Certificate









AS2047

CSA

CE

CE









ALIBABA CERTIFICATION



PATENT CERTIFICATE

PATENT CERTIFICATE

HIGH-END

ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

VIEW MORE

























APPRECIATE



























Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China