



Modern Slimline 2.2mm/3.0mm Thick Aluminum Sliding Door

Our Product Introduction

for more products please visit us on aluminiumwindowdoor.com


Basic Information

- Place of Origin: China
- Brand Name: Eloyd
- Certification: CE
- Model Number: 56 serie sliding door
- Minimum Order Quantity: 2
- Price: USD78/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C,T/T,Western Union,PayPal
- Supply Ability: 10000



Product Specification

- Opening Direction: Left/Right
- Installation Method: Surface Mount
- Material: 2.2mm/3.0mm Thick Aluminium
- Glass: 5+20A+5mm Double Clear Tempered Glass
- Design: According To Confirmed Drawing
- Drawings: 3D Design Drawings
- PackageMethod: EPE Foam Wrapped
- Hardware: BOGO Hardware
- Stainless Steel: 10 Years
- Highlight: modern slimline aluminum sliding door, Slimline Aluminum Sliding Door, 3.0mm Thick Aluminum Sliding Door



More Images



Modern Slimline Aluminum Sliding Door

Bring elegance and performance to your home with our Modern Slimline Aluminum Sliding Door. Designed with a minimalist frame and large glass surface, it seamlessly blends indoor and outdoor living while maximizing natural light.

Key Features:

- Slim Profile Design:** Narrow frame for a sleek and modern look.
- Smooth Operation:** High-quality rollers ensure effortless sliding.
- Thermal Performance:** Insulated profiles reduce energy loss.
- Durable Construction:** Made from corrosion-resistant aluminum for long-lasting use.
- Safety First:** Optional laminated or tempered glass for enhanced security.
- Customizable:** Available in various sizes, finishes, and glazing options.

Applications:

Perfect for modern homes, apartments, patio entries, balconies, and garden access.

Specifications:

- Frame Material: Powder-coated aluminum
- Glass: Double glazing / Optional triple glazing
- Frame Thickness: 1.8mm – 2.0mm
- Color Options: Black, grey, white, custom RAL colors
- Maximum Panel Height: Up to 3 meters
- Locking System: Multi-point locking for added security

Installation & Delivery:


Quick and easy installation with detailed guides. International shipping available with secure packaging.

Product Parameters:

SERIES	150 serie sliding door
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	3.0mm/8.0mm Thick Aluminium
GLASS	5+22A+5mm Double Clear Tempered Glass
HARDWARE	BOGO Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized



Packing and shipping



TRANSPORTATION



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Certificate



AS2047



CSA



CE



CE



ALIBABA CERTIFICATION



Intertek
Total Quality Assured.



PATENT CERTIFICATE



PATENT CERTIFICATE

HIGH-END

ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

[VIEW MORE](#)



50,000²

Production Area

Professional enterprise of aluminum, wood clad aluminum and upvc windows and doors.



Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China