



Double Track Aluminum Patio Sliding Door Left / Right Opening Direction

Our Product Introduction

for more products please visit us on aluminiumwindowsdoor.com

Basic Information

- Place of Origin: China
- Brand Name: Loyd
- Certification: CE
- Model Number: 56 serie sliding door
- Minimum Order Quantity: 2
- Price: USD78/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C,T/T,Western Union,PayPal
- Supply Ability: 10000



Product Specification

- Opening Direction: Left/Right
- Installation Method: Surface Mount
- Material: 2.2mm/3.0mm Thick Aluminium
- Glass: 5+20A+5mm Double Clear Tempered Glass
- Design: According To Confirmed Drawing
- Drawings: 3D Design Drawings
- PackageMethod: EPE Foam Wrapped
- Hardware: BOGO Hardware
- Stainless Steel: 10 Years
- Highlight: Aluminum Patio Sliding Door double, Double Track Sliding Door, Aluminum Patio Sliding Door



More Images



Product Description

Double Track Aluminum Patio Sliding Door

Product Description:

Maximize your living space with our Double Track Aluminum Patio Sliding Door. Designed for smooth movement and space efficiency, this system allows two or more sliding panels to operate on separate tracks, making it ideal for wide openings and fresh airflow.

Key Features:

Dual-Track System: Independent movement for flexible opening.

Space-Saving: No swing-out area required.

Silent Glide: Premium rollers ensure noise-free operation.

Weatherproof Design: Seals out rain and wind effectively.

Customizable Frames: Wide range of colors and finishes.

Applications:

Perfect for patios, terraces, sunrooms, living rooms, and balconies.

Specifications:

Track: Double rail aluminum base

Glass Options: Insulated / tempered / Low-E

Panel Width: 800–1500mm

Panel Height: Up to 2.5m

Frame Finish: Powder-coated in matte, gloss, or textured

Lock: Multi-lock system with handle-integrated keyhole

Installation & Delivery:

All hardware included. International shipping with reinforced wooden crates.

Product Parameters:

SERIES	150 serie sliding door
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	3.0mm/8.0mm Thick Aluminium
GLASS	5+22A+5mm Double Clear Tempered Glass
HARDWARE	BOGO Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized



Packing and shipping



TRANSPORTATION



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Certificate



AS2047



CSA



CE



CE



ALIBABA CERTIFICATION



Intertek
Total Quality Assured.



PATENT CERTIFICATE



PATENT CERTIFICATE

HIGH-END

ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

[VIEW MORE](#)



50,000²

Production Area

Professional enterprise of aluminum, wood clad aluminum and upvc windows and doors.



Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China