



3D Design Narrow Frame Aluminum Sliding Door Surface Mount

Our Product Introduction

for more products please visit us on aluminiumwindowdoor.com

Basic Information

- Place of Origin: China
- Brand Name: LLOYD
- Certification: CE
- Model Number: 56 serie sliding door
- Minimum Order Quantity: 2
- Price: USD78/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C,T/T,Western Union,PayPal
- Supply Ability: 10000



Product Specification

- Opening Direction: Left/Right
- Installation Method: Surface Mount
- Material: 2.2mm/3.0mm Thick Aluminium
- Glass: 5+20A+5mm Double Clear Tempered Glass
- Design: According To Confirmed Drawing
- Drawings: 3D Design Drawings
- PackageMethod: EPE Foam Wrapped
- Hardware: BOGO Hardware
- Stainless Steel: 10 Years
- Highlight: **Narrow Frame Aluminum Sliding Door, 3D Design Aluminum Sliding Door, Aluminum Sliding Door Surface Mount**



More Images



Product Description

Narrow Frame Aluminum Sliding Door

Product Description:

Our Narrow Frame Sliding Door is designed for minimalist aesthetics and maximum daylight. The slim aluminum profiles provide a barely-there look while maintaining strength and functionality. A perfect solution for spaces that crave natural light.

Key Features:

Ultra-Thin Frame: Sightline as low as 20mm.

Modern Minimalism: Ideal for contemporary interiors.

Thermal Insulation: Break technology to reduce heat transfer.

Durability: High-grade aluminum with corrosion resistance.

High Clarity: Optional low-iron glass for crystal-clear views.

Applications:

Recommended for bedrooms, balconies, reading areas, and modern living spaces.

Specifications:

Visible Frame: 20–25mm

Glass: Double glazing (5+12A+5) / Ultra-clear options

Color Options: Black, white, champagne, custom RAL

Panel Size: Customizable up to 2.6m height

Drainage: Integrated water drainage design

Installation & Delivery:


Pre-assembled frames available. Ships internationally with foam-wrapped and boxed protection.

Product Parameters:

SERIES	150 serie sliding door
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	3.0mm/8.0mm Thick Aluminium
GLASS	5+22A+5mm Double Clear Tempered Glass
HARDWARE	BOGO Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized



Packing and shipping



TRANSPORTATION



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Certificate



AS2047



CSA



CE



CE



ALIBABA CERTIFICATION



intertek
Total Quality Assured.



PATENT CERTIFICATE



PATENT CERTIFICATE

HIGH-END

ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

[VIEW MORE](#)



50,000²

Production Area

Professional enterprise of aluminum, wood clad aluminum and upvc windows and doors.



Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China