

Thermal Break Aluminum Sliding Window with Double Glazing

Basic Information

Place of Origin: ChinaBrand Name: Eloyd

Certification: CE/CSA/AS2047
 Model Number: 110 sliding Window

Minimum Order Quantity: 2

• Price: USD78/

Packaging Details:
 EPE Foam wrapped

• Delivery Time: 25-30days

• Payment Terms: L/C,T/T,Western Union,PayPal

• Supply Ability: 10000



Product Specification

Color: Black

Glass Type: Tempered

Material: 2.0mm Aluminium Thickness

• Glass: Glass:5+20A+5mm

Design: According To Confirmed Drawing

• Accessory: Fly Net / Fly Curtain / High Downtrack(For

Water-proof)

PackageMethod: EPE Foam Wrapped

Hardware: BOGO Stainless Steel: 10 Years

Highlight: thermal break aluminum sliding window,

double glazed sliding window,

aluminum sliding window with warranty



More Images











Thermal Break Aluminum Sliding Window with Double Glazing

Extended Product Details:

Our thermal break aluminum sliding window is engineered to deliver the perfect balance of energy efficiency, durability, and contemporary design. Constructed with premium-grade aluminum profiles and advanced polyamide thermal break strips, it minimizes heat transfer between indoor and outdoor environments, helping reduce HVAC costs in both residential and commercial applications.

The double-glazed insulated glass units (IGU) provide outstanding thermal insulation and acoustic performance, making them ideal for urban areas with high noise levels. The window incorporates precision stainless-steel rollers for effortless sliding, while EPDM gaskets ensure airtight sealing against wind and rain.

For safety, customers can choose from tempered, laminated, or Low-E safety glass options. Multi-point locking hardware enhances security, meeting international standards for burglary resistance.

Applications:Perfect for living rooms, high-rise apartments, office buildings, and hotels where energy savings and modern aesthetics are essential.

Customization:

Available in single-track or double-track systems, with optional fly screens. Multiple color finishes (powder-coated, anodized, or wood-grain effect) are available, along with glass thicknesses ranging from 5mm to 28mm.

Product Paramenters:

SERIES	110 sliding Window
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	Glass:5+20A+5mm Double Clear Tempered Glass
HARDWARE	BOGO Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized

Panoramic sliding window

Warranty service, More than 5 years











Multiple seal



Guaranteed after sale



CE certification



6063 primary aluminum

High quality PA66GF25

European arc line, optional hypotenuse line design

Imported fluorocarbon paint finish

Frame fan inside and outside flush design

Hollow aluminum strip filled with molecular sieve

5+12A+5 large hollow tempered glass

Openable guard rail design

GB304# stainless steel diamond gauze

Industry high-end system window hardware

Sealing process of duck bill strip

Thermal break isotherm design

Wind pressure resistance: Lv. 9

Property











Packing and shipping





Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation servicefrom our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Project case



















HIGH-END ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

VIEW MORE























ROHS | CE | FCC | Quality certification...

Be rated as an excellent credit enterprise, 2025

Multiple R&D Design Patents: Hardware, Appearance, Software, System-Communication.....





Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China