



Double-Sash Aluminum Sliding Window with Cross Ventilation

Our Product Introduction

for more products please visit us on aluminiumwindowsdoor.com

Basic Information

- Place of Origin: China
- Brand Name: Eloyd
- Certification: CE/CSA/AS2047
- Model Number: 110 sliding Window
- Minimum Order Quantity: 2
- Price: USD78/
- Packaging Details: EPE Foam wrapped
- Delivery Time: 25-30days
- Payment Terms: L/C,T/T,Western Union,PayPal
- Supply Ability: 10000



Product Specification

- Color: Black
- Glass Type: Tempered
- Material: 2.0mm Aluminium Thickness
- Glass: Glass:5+20A+5mm
- Design: According To Confirmed Drawing
- Accessory: Fly Net / Fly Curtain / High Downtrack(For Water-proof)
- PackageMethod: EPE Foam Wrapped
- Hardware: BOGO
- Stainless Steel: 10 Years
- Highlight: double-sash aluminum sliding window, cross ventilation sliding window, aluminum sliding window with warranty



More Images



Product Description

Double-Sash Aluminum Sliding Window with Cross Ventilation

Extended Product Details:

The double-sash sliding window allows two sashes to operate independently, creating versatile ventilation options. This design enhances airflow circulation while maintaining security.

The window features insulated double glazing, smooth sliding rollers, and high-quality weather seals.

Applications:

Suitable for residential homes, classrooms, and offices where ventilation is important.

Customization:


Offered in multiple panel combinations, finishes, and glazing thicknesses.

Product Parameters:

SERIES	110 sliding Window
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	Glass:5+20A+5mm Double Clear Tempered Glass
HARDWARE	BOGO Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized

Panoramic sliding window

Warranty service, More than 5 years



Whole house
customization



High efficiency
sound insulation



Multiple seal



Guaranteed
after sale



CE certification



6063 primary aluminum

High quality PA66GF25

European arc line, optional hypotenuse line design

Imported fluorocarbon paint finish

Frame fan inside and outside flush design

Hollow aluminum strip filled with molecular sieve

5+12A+5 large hollow tempered glass

Openable guard rail design

GB304# stainless steel diamond gauze

Industry high-end system window hardware

Sealing process of duck bill strip


Thermal break isotherm design

Wind pressure resistance: Lv. 9

Property



Packing and shipping



TRANSPORTATION



Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely and safe delivery. That's why we offer an efficient logistics service, letting you track your order anytime.

Comprehensive door-to-door transportation service

We offer a complete door-to-door transportation service from our factory to your doorstep, aiming to provide you with a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Project case



America



Germany



America



Britain



Australia



Oman



Russia




Singapore

HIGH-END

ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

[VIEW MORE](#)





ROHS | CE | FCC | Quality certification...

Be rated as an excellent credit enterprise, 2025

Multiple R&D Design Patents :
Hardware, Appearance, Software, System-Communication.....



50,000²

Production Area

Professional enterprise of aluminum, wood clad aluminum and upvc windows and doors.



Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China