

Fire-Rated Aluminum Sliding Window for Safety Applications

Basic Information

Place of Origin: ChinaBrand Name: Eloyd

Certification: CE/CSA/AS2047
 Model Number: 110 sliding Window

Minimum Order Quantity: 2

• Price: USD78/

Packaging Details:
 EPE Foam wrapped

• Delivery Time: 25-30days

• Payment Terms: L/C,T/T,Western Union,PayPal

• Supply Ability: 10000



Product Specification

Color: Black

Glass Type: Tempered

Material: 2.0mm Aluminium Thickness

• Glass: Glass:5+20A+5mm

Design: According To Confirmed Drawing

Accessory: Fly Net / Fly Curtain / High Downtrack(For

Water-proof)

PackageMethod: EPE Foam Wrapped

Hardware: BOGOStainless Steel: 10 Years

Highlight: fire-rated aluminum sliding window,

safety sliding window with warranty, aluminum sliding window for safety



More Images







Fire-Rated Aluminum Sliding Window for Safety Applications

Extended Product Details:

The fire-rated aluminum sliding window is built with fire-resistant aluminum alloy profiles and certified fireproof glass that can withstand high temperatures.

Its structure helps contain fire spread between rooms or building sections while maintaining functionality. Sliding tracks are reinforced with heat-resistant components.

Applications:

Used in hospitals, schools, commercial buildings, and industrial projects requiring fire safety compliance.

Customization:

Fire ratings available from 30 to 120 minutes. Frame and glass specifications can be tailored to project needs.

Product Paramenters:

SERIES	110 sliding Window
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	Glass:5+20A+5mm Double Clear Tempered Glass
HARDWARE	BOGO Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized

Panoramic sliding window

Warranty service, More than 5 years













Whole house customization

High efficiency sound insulation

Multiple seal

Guaranteed after sale

CE certification



6063 primary aluminum

High quality PA66GF25

European arc line, optional hypotenuse line design

Imported fluorocarbon paint finish

Frame fan inside and outside flush design

Hollow aluminum strip filled with molecular sieve

5+12A+5 large hollow tempered glass

Openable guard rail design

GB304# stainless steel diamond gauze

Industry high-end system window hardware

Sealing process of duck bill strip

Thermal break isotherm design

Wind pressure resistance: Lv. 9

Property











Packing and shipping





Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation servicefrom our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

Project case



















HIGH-END ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

VIEW MORE























ROHS | CE | FCC | Quality certification...

Be rated as an excellent credit enterprise, 2025

Multiple R&D Design Patents: Hardware, Appearance, Software, System-Communication.....





Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China