

## Low-Maintenance Aluminum Sliding Window with Self-Cleaning Glass

### **Basic Information**

Place of Origin: ChinaBrand Name: Eloyd

Certification: CE/CSA/AS2047
 Model Number: 110 sliding Window

Minimum Order Quantity: 2

• Price: USD78/

Packaging Details:
 EPE Foam wrapped

• Delivery Time: 25-30days

Payment Terms: L/C,T/T,Western Union,PayPal

• Supply Ability: 10000



### **Product Specification**

Color: Black

Glass Type: Tempered

Material: 2.0mm Aluminium Thickness

• Glass: Glass:5+20A+5mm

Design: According To Confirmed Drawing

• Accessory: Fly Net / Fly Curtain / High Downtrack(For

Water-proof)

PackageMethod: EPE Foam Wrapped

Hardware: BOGOStainless Steel: 10 Years

• Highlight: aluminum sliding window with self-cleaning

glass

low-maintenance sliding window aluminum

frame

, self-cleaning glass sliding window aluminum



### More Images











### Low-Maintenance Aluminum Sliding Window with Self-Cleaning Glass

### **Extended Product Details:**

This sliding window is equipped with self-cleaning glass coated with a hydrophilic layer that breaks down dirt and washes away with rainwater.

The aluminum frame is finished with weather-resistant powder coating, ensuring durability in extreme climates with minimal upkeep.

#### Applications:

Ideal for high-rise apartments, villas, and offices where manual cleaning is difficult.

#### **Customization:**

Available in single- or double-glazed options, multiple finishes, and track systems.

### **Product Paramenters:**

SERIES	110 sliding Window
BRAND	Eloyd
PROFILE	6063# T5 aluminum alloy profiles
THICKNESS	2.0mm aluminium thickness
GLASS	Glass:5+20A+5mm Double Clear Tempered Glass
HARDWARE	BOGO Lock & Handle
SURFACE TREATMENT	Powder Coating, Anodized

### Panoramic sliding window

Warranty service, More than 5 years













Whole house customization

High efficiency sound insulation

Multiple seal

Guaranteed after sale

CE certification



### 6063 primary aluminum

High quality PA66GF25

European arc line, optional hypotenuse line design

Imported fluorocarbon paint finish

Frame fan inside and outside flush design

Hollow aluminum strip filled with molecular sieve

5+12A+5 large hollow tempered glass

Openable guard rail design

GB304# stainless steel diamond gauze

Industry high-end system window hardware

Sealing process of duck bill strip

Thermal break isotherm design

Wind pressure resistance: Lv. 9

### Property











### Packing and shipping





### Logistics AndTransportation

Clear and trackable logistics process

ELOYD understand the importance of timely andsafe delivery. That's why we offer an efficient logisticsservice, letting you track your order anytime.

Comprehensive door-to-door transportationservice

We offer a complete door-to-door transportation servicefrom our factory to your doorstep, aiming to provide youwith a pleasant shopping experience.

#### Packing and delivery process

1. Product Packaging 2. Product Sorting 3. Dispatch 4. Confirmation of Goods 5. Logistics Unloading 6. Buyer Receiving

# Project case



















# HIGH-END ONE-STOP FOR HIGH-END RESIDENTIAL & COMMERCIAL PROJECTS

VIEW MORE























### ROHS | CE | FCC | Quality certification...

Be rated as an excellent credit enterprise, 2025

Multiple R&D Design Patents: Hardware, Appearance, Software, System-Communication.....





Foshan Yiluode Doors And Windows Co., Ltd.



+8618169835994



sales08@fseloyd.com



aluminiumwindowsdoor.com

6-2 North Songgang Industrial Road, Shishan Town Foshan Guangdong China